

**GEORGE
WOOD**

PERFORMING
ARTS CENTRE

Venue Specifications and Price List

2024 v5.0

DOCUMENT HISTORY

Document Version	Date	Author	Comments
v1.1	January 2021	M. Viskich	Branding update
v2.0	August 2021	M. Stevenson	Equip updates
v3.0	March 2022	M. Stevenson	Ticketing update
v3.1	September 2022	M. Viskich	Pricing updates
v4.0	January 2023	M. Stevenson	Equip & pricing updates
v5.0	December 2023	M. Stevenson	Construction notes, equip & pricing

GENERAL INFORMATION

This **Venue Specifications** document is a summary of the technical specifications and equipment available for hire. The terms and conditions of hire can be found in the **Venue Hire Agreement**. If you have any further queries or would like to make a booking at George Wood Performing Arts Centre, please contact us using the details below.

CONTACT DETAILS

George Wood Performing Arts Centre
Yarra Valley Grammar, 84-90 Kalinda Road
Ringwood Victoria 3134

Manager **Matthew Stevenson**

Phone +61 3 9262 7765

Email pac@yvg.vic.edu.au

Web www.gwpac.com.au

Table of Contents

Document History	1
General Information	1
Contact Details	1
VENUE ACCESS	4
Loading Bay	4
FRONT OF HOUSE.....	4
Entrances	4
Foyer Space.....	4
AUDITORIUM SEATING	5
Seating Capacities	5
House Seating	5
Technical Control Positions.....	5
Reverse Stage	5
Ticketing	5
STAGE DETAILS AND EQUIPMENT	6
Stage Surface	6
Stage Dimensions	6
Moveable Wall	6
Tormentors / Proscenium Arch	6
Drapery & Cloths	7
Risers	7
Orchestral Equipment	7
Musical Instruments.....	7
FLY SYSTEM AND RIGGING	8
Motorised Curtain System	8
Fly/Rigging System	8
Other Rigging Positions.....	8
Hanging Plot	9
LIGHTING	10
Control System and Network	10
FOH Distances to Setting Line.....	10
House Lighting and Working Light.....	10
Lighting Fixtures	10
AUDIO.....	12
Audio Desk and Control	12
Front of House Speaker System	12
Microphones.....	12
Other Sound Equipment	13
Assistive Hearing System.....	13
VISION AND BROADCAST	14
Vision System	14
Video Recording and Broadcast	14

Screens and Projection	15
Cameras	15
STAGE MANAGEMENT AND BACKSTAGE FACILITIES	16
Communications	16
Stage Management Desk.....	16
Set Assembly and Storage Space	16
Dressing Rooms and Rehearsal Rooms	17
Additional Rehearsal Rooms.....	17
GWPAC 2024 PRICE LIST	18
Venue Hire Rates	18
Additional Staff.....	18
Staging and Instruments	19
Recording.....	19
Lighting and Effects	19
Audio	19
Vision	20
Other	20

Venue Access

Hirers accessing the Venue are required to enter via Stage Door, located at the loading dock on the north side of the building. On weekdays, access via the back of house entrances at the rear of the building is restricted until after 6pm.

Audience members accessing the Venue are permitted to enter only via the front of house entrance using the main automatic doors on the north side of the facility.

LOADING BAY

Roller Door Height 4.2m
Roller Door Width 1.7m

Front of House

ENTRANCES

During construction works, there is one public entrance located on the north side of the Venue. This front of house entrance opens to a large outdoor space. The entrance foyer contains:

- Male, female and accessible toilets
- Screens (stage feed or graphics display) and stage feed audio
- Staircases to Balcony auditorium doors

Main Entrance	Area	North Entrance	Area
Door 1	Stalls	Door 2	Stalls
Door 3	Balcony	Door 4	Balcony

FOYER SPACE

The central foyer space connects the front of house foyer entrance to all auditorium doors and features a catering kiosk where the Venue's licensed catering company operates. This space contains:

- Kiosk
- Tables, chairs and display boards
- Screens (stage feed or graphics display) and stage feed audio

Auditorium Seating

The Stalls (ground level) are divided into two sections: the Front Stalls consists of 12 rows (A-M); the Rear Stalls consist of 5 rows (N-S). The Balcony (level 1) consists of 7 rows (AA-GG).

SEATING CAPACITIES

Area	Capacity
Stalls	651
Front Stalls	432
Rear Stalls	219
Balcony	244
Total Capacity	895

Other	Seats
*Wheelchair Accessible Spaces	6
Usher Seating	4

HOUSE SEATING

The Venue retains 10 house seats for its exclusive use for all events. These seats are N35-N44 inclusive.

TECHNICAL CONTROL POSITIONS

Position	Seats	Seat Numbers
Standard Control Room	Nil	Nil
*Centre Stalls	9	N18-26

***NOTE**

- The Centre Stalls Control Position is not standard and will incur an additional charge to adjust the seating configuration. Please contact Eticks for assistance with ticketing when this position is used.

REVERSE STAGE

Enables up to 120 seats to be placed on the upstage choir risers and the performance to be arranged in the opposite direction to normal.

TICKETING

All auditorium seating carries discrete numbering for ticketing purposes. All tickets are sold directly via the Venue's licensed ticketing agency, Eticks.

Stage Details and Equipment

STAGE SURFACE

The stage is unraked with a matte spotted gum timber surface as standard.

Surface	Suitable for
Standard (Timber)	Concerts, presentations, lectures
*Black MDF	Dance, musical theatre

***NOTE**

- The Black MDF Floor is not standard and incurs an additional fee outlined in the Price List. This is compulsory when tap shoes are used.
- The stage surface is non-sacrificial, and it is not permitted to screw into, cut, build upon, permanently mark or impair in any way.
- Only tape supplied or approved by Venue Management shall be used on the stage surface.

STAGE DIMENSIONS

- Proscenium height 6.7m
- Proscenium width..... 15.8m

- Stage to upper fly limit..... 9.8m

- Stage width (with wings) 12m
- Stage width (without wings) 18.7m

- Stage depth (with cyclorama)..... 10m
- Stage depth (without cyclorama)..... 10.5m

- Maximum UDL Loading 400kg/m²

MOVEABLE WALL

If the stage is used without masking (wings), the moveable wall can be used to partition the set assembly/storage space, and the stage, for no additional fee.

TORMENTORS / PROSCENIUM ARCH

Timber tormentors can be used to create the Venue’s proscenium arch either side at the front of the stage, in front of the stage stairs.

DRAPERY & CLOTHS

Drape	Quantity	W (m)	H (m)	Fullness	Colour	Material
Drop Curtain	1	17	5	80%	Red	Velvet
Valance	1	16	2	80%	Red	Velvet
Curtain 1	1	16	7.28	80%	Red	Velvet
Curtain 2	1	16	6.67	80%	Black	Wool
Curtain 3	1	16	6.67	80%	Black	Wool
Legs	4 pairs	6.5	3	0%	Black	Wool
Borders	4	16	2	0%	Black	Wool
Tab Track	1	15	6.5	80%	Black	Wool
Cyclorama	1	14	4.8	-	White	Filled Cloth
*Cyclorama	1	14	4.8	-	White	Nessel
*Scrim	1	14	4.8	-	White	Sharkstooth
*Scrim	1	10	6	-	White	Sharkstooth
*Scrim	1	14	4.8	-	Black	Sharkstooth

***NOTE**

- Cloths marked * are not rigged as standard and incur an additional fee.
- A variety of other masking legs and borders are available.

RISERS

- Fixed rear stage risers
- Rolling choir risers (6)
- Hardwood blocks (8)

ORCHESTRAL EQUIPMENT

Equipment	Quantity
Orchestral Chairs	96
Choral/Presenter Chairs	200
Music Stands	40
Sconce Lights	20
Double Bass Stools	4
Conductor's Podium	1
Conductor's Music Stand	1

MUSICAL INSTRUMENTS

Instrument	Quantity
*Yamaha C7 Grand Piano	1
*Yamaha Clavinova CVP-805	1
*Orchestral Timpani	4
*Drum Kit	1

***NOTE**

- Instruments marked * incur an additional fee.

Fly System and Rigging

MOTORISED CURTAIN SYSTEM

The Venue’s Curtain System is comprised of 3 individually controlled motorised curtains. Curtain 1 acts as a house curtain, Curtain 2 divides the stage in two, and Curtain 3 covers the upstage fixed choir risers.

Curtain System Information:

Total No. of Tracks 3
 Controller Wall Control Units
 Operating Position..... Curtain Well Prompt Side or Control Room
 Hoists ECD35 (x3)

FLY/RIGGING SYSTEM

The Venue’s Fly/Rigging System is an HME KTA Automated System. It is comprised of 19 fly lines which can be used to rig backdrops or other scenic elements. The layout of bars can be found in the Hanging Plot on Page 10.

Control System Information:

Controller KTA Micro Pendant
 Operating Position..... Curtain Well Prompt Side or OP Wing

Bar Information:

Number of bars..... 19
 Bar type..... RHS 50mm x 75mm
 Bar length..... 15.5m (LX5 is 12m)
 Bar spacing Varied
 Number of pickups 5
 Hoists EDH180F (x1), EPH300 (x6), EPH500 (x5), EDH500 (x7)

*NOTE

- o Operation of the Fly System is by authorised Venue Staff only.
- o Venue Management must approve backdrops and/or scenic elements that are to be flown or statically rigged as outlined in the Venue’s policies.

OTHER RIGGING POSITIONS

Location	Length (m)	WWL (kg)
FOH 1	15.5	500
FOH 2	18	500
Balcony Bar	3.5	Contact Venue
Cyc Bar	9	Contact Venue
PS & OP Perches	Contact Venue	Contact Venue

HANGING PLOT

Line No.	Venue Allocation	Distance from SL (mm)	WWL (kg)	UDL (kg/m)	Mid Span Point Load (kg)	Motor
1	Valance	-1265	-	-	-	-
2	LX 1	-1015	350	50	80	EPH-500
3	House Drop Curtain	-615	125	50	80	EDH
Curtain 1	Curtain 1	0	-	-	-	-
4	Legs/Border	780	150	50	80	EPH-300
5	LX 2	1000	350	50	80	EPH-500
6		1600	350	50	80	EDH-500
7	Projection Screen	2030	350	50	80	EDH-500
8	Legs/Border	2450	150	50	80	EPH-300
9	LX 3	2690	350	50	80	EPH-500
Curtain 2	Curtain 2	3500	-	-	-	-
10	Legs/Border	3910	150	50	80	EPH-300
11	LX 4	4140	350	50	80	EPH-500
12		4490	350	50	80	EDH-500
13		4770	350	50	80	EDH-500
14	Legs/Border	5000	150	50	80	EPH-300
15		5310	350	50	80	EDH-500
16		5700	350	50	80	EDH-500
17	Tab Track	6110	350	50	80	EDH-500
18	Cyclorama	6390	150	50	80	EPH-300
Curtain 3	Curtain 3	7000	-	-	-	-
19	LX 5	7320	350	50	80	EPH-500

***NOTE**

- SL: Setting Line - where Curtain 1 travels across stage.
- WWL: Working Load Limit
- UDL: Uniform Distributed Load

Lighting

CONTROL SYSTEM AND NETWORK

Lighting Console ETC ION with 40+20 Fader Wing
Standard Operating Location Control Room
Protocol sACN (Strand Lighting Network Nodes)

Dimmers:

Dimmers are rack mounted in the dimmer area at OP Catwalk on Level 2. Dimmers are hard wired to specific locations throughout the Venue.

Item	Quantity
LSC GenVI Advanced Dimmer Racks	14

FOH DISTANCES TO SETTING LINE

Position	Distance to setting line	Angle to setting line
FOH 1	9178mm (9.2m)	62°
FOH 2	13743mm (14.7m)	37.4°
Balcony Bar	14994mm (15m)	18.3°
Followspots	22246mm (22.2m)	20.5°

HOUSE LIGHTING AND WORKING LIGHT

The Venue has a fully integrated LED house light system that covers all areas of the auditorium, controlled by wall panels in the Control Room or Stage Management Desk. A fully integrated blue working light system is used backstage.

LIGHTING FIXTURES

The standard lighting rig included in the hire of the Venue includes in the following:

- Conventional white wash
- LED colour wash
- Cyclorama LED floods
- 6 profile specials

*NOTE

- Fixtures marked with * incur an additional cost outlined in the Price List.
- Any alterations to the standard rig must be returned to normal at the end of the hire period. Time required beyond the allotted booking time will be charged at an hourly rate as per the Price List.

Profiles:

Manufacturer	Model	Power	Quantity
Selecon	Pacific 12/28 ^e	1200W	16
Selecon	Pacific 14/35 ^e	1200W	5
Selecon	Acclaim Axial Zoomspot	600W	8
EK	eProfile FC (RGBAL)	250W	20
ETC	Source Four Jnr	575W	4
ETC	Source Four Jnr Zoom	575W	4

Fresnels:

Manufacturer	Model	Quantity
Silver Star	Fresno RGBAL (DMX Zoom)	32
Selecon	Rama Fresnel 1.2k	12
Selecon	Rama Fresnel 2k	4

Moving Lights:

Manufacturer	Model	Quantity
*Ayrton	*Diablo S Profile	4
*Silverstar	*Pluto 2000 Wash	14
*Chauvet	*Rogue R2 Spot	6
*Chauvet	*Rogue R2X Spot	2

Special Effects / Other:

Manufacturer	Model	Quantity
Silverstar	Cyc Wash (Cyc2 RGBAL)	10
*AVE	*Mirror ball	2
*Martin	*Smoke Machine (JEM ZR25)	1
*Martin	*Strobe (Atomic 3000)	1
*Chauvet	*Blinders (Shocker 2)	2
*Chauvet	*Bubble Machine	2
*Chauvet	*UV Light (SlimBank UV-18)	6
*Robert Juliat	*Followspot (Roxy LED)	2
*Robe	*Haze Machine (Haze 400FT)	1
ShowPro	LED ParCans	20

Accessories

- All fresnels have barn doors
- Limited range of top hats, irises, gobo holders and gobos available

Audio

AUDIO DESK AND CONTROL

Audio Desk Allen & Heath Avantis
 Channels 64
 Standard Operating Location Control Room
 Network Protocol S-Link

FRONT OF HOUSE SPEAKER SYSTEM

The Speaker System’s processing is carried out by the Xilica Solaro FR1 System. The Speaker System uses two d&b audiotechnik 30D and one d&b audiotechnik 10D amplifier.

Position	Speaker	Quantity
Left & Right	d&b audiotechnik ALi90 Array	2
Subwoofer	d&b audiotechnik Bi6	4
Front Fill	d&b audiotechnik 8s	5
Rear Stalls Fill	d&b audiotechnik 8s	4
Balcony Delay	d&b audiotechnik 8s	3
Foldback	RCF 310-A	4

MICROPHONES

***NOTE**

- The Venue owns 20 wireless receivers, therefore no more than 20 channels of wireless (either handhelds or headsets/lapels) may be used at one time.
- Microphones marked with * incur an additional cost outlined in the Price List.

Wireless System and Microphones

Item	Model	Quantity
*Wireless Handheld Mic	Sennheiser e965 G3	14
*Wireless Beltpack Transmitter	Sennheiser ew500 G3	24
*Headset/Lapel Mic	Sennheiser MKE-2	24
*Headset Mic	DPA 4066	2

Cabled

Item	Model	Quantity
Vocal Mic	Shure Beta 58A	4
Vocal Mic	Shure SM58	1
Vocal Mic (on/off switch)	M1-S	2
Instrument Mic	Shure Beta 74A	4
Instrument Mic	Audiotechnica ATM350	2
Boundary Plate Mic	Sennheiser e912	3
Boundary Plate Mic	Crown PCC 160	2
Overhead Drop Mic	Shure MX202	12
Kick Drum Mic	Shure Beta 91	1
Pencil Condenser Mic	Rode NT5	2
Pencil Condenser Mic	AKG 451	2
Shotgun Mic	Rode NTG8	2
Shotgun Mic	Rode NTG3B	6

OTHER SOUND EQUIPMENT

Item	Model	Quantity
Tall Mic Stand (Boom)	K&M	8
Tall Mic Stand (Boom)	Gravity	10
Short Mic Stand (Boom)	K&M	8
Floor/Table Mic Stand	K&M	4
Speaker	RCF 408-A	2
Speaker	RCF 310-A	2
Speaker	RCF 910-A	4
Recorder	Roland R26	1
Recorder	Zoom F6	1
Lectern (Black)	Lectrum	1
Lectern (Grey)	Lectrum	1

Additionally, the Venue owns a limited supply of Allen & Heath DX Stage Boxes and audio cables available for use, including XLR, TRS, TS, 3.5mm jack, RCA, IEC and XLR Multicore.

ASSISTIVE HEARING SYSTEM

Hearing impaired audience members may make use of the auditorium's Roger hearing assistance system. Please contact Venue Management prior to the event for further information.

Vision and Broadcast

VISION SYSTEM

The Venue has an advanced vision switching and capture/recording system comprised of the following:

Control and Operation:

Item	Quantity	Comments
Blackmagic ATEM 1M/E Advanced Panel	1	Mounted in Control Room Rack
Blackmagic ATEM 1M/E Production Controller	1	Broadcast Vision Switcher
Panasonic AW-RP150 PTZ Controller	1	Camera Controller in Control Room
Blackmagic Smart VideoHub 40x40	1	Mounted in Vision Rack
Blackmagic Smart VideoHub 20x20	1	Mounted in BOH Office
Blackmagic Hyperdeck Studio Mini	4	Mounted in Control Room Rack
Blackmagic Audio Monitor	1	Mounted in Control Room Rack
MultiView 4	1	Mounted in Control Room Rack
SmartView 4K Monitor	2	1 in control room, 1 portable
Blackmagic Video Assist 7"	1	Portable setups
Apple Mac Studio M1 Max	1	Recording Hub
Apple Mac Pro 2013	1	Processing

Accessories:

Item	Item	Quantity
Laptop	Apple Macbook Pro 13" (2016 Intel)	2
Laptop	Apple Macbook Air 13" (M1)	2
Laptop	Apple Macbook Pro (M2)	1
Laptop	HP Spectre	1
USB Clicker	Logitech	4
Scaler	Decimator	6
SDI/HDMI Microconverter	Blackmagic	8

VIDEO RECORDING AND BROADCAST

George Wood Performing Arts Centre can provide a range of video recording, broadcast, and post-production services for your event. The Venue is fully equipped to record and stream content in full HD (1080p) resolution. Services available for hire include, but are not limited to:

- Commercial recordings
- Archival recordings
- Live video streaming and broadcast to an online platform
- Post-production services: editing, colour grading, and closed captioning
- Technical and creative consultation for the video project

***NOTE**

- Any form of recording or broadcast undertaken at GWPAC requires prior approval from Venue Management.
- All broadcast and recordings require the Hirer to have obtained the necessary releases, licenses, and rights in relation to copyright.

SCREENS AND PROJECTION

The Venue has a variety of screens available for vision output through the hire of the *Projection Package*. This is comprised of the following:

Screens:

Screen	Ratio	Dimensions
Full Stage Cyclorama	16:9	4.8m x 14m
Auditorium Presentation Screens (x2)	16:9	4.4m x 2.6m
Stage Presentation Screen	16:9	16ft x 9ft
Balcony Bar Screen (Confidence Monitor)	16:9	98" (diagonal)

Projectors:

Manufacturer	Model	Standard Use	Quantity
Epson	EB-G7005U	Stage Presentation Screen	1
Panasonic	PT-RZ120 (12K Laser FHD)	Full Stage Cyclorama	1
Panasonic	PT-RZ120 (12K Laser FHD)	Auditorium Presentation Screens	2
Panasonic	PT-DW11K	-	1

***NOTE**

- Any applications can be used to provide the image and most devices.
- System input must be HDMI or SDI. The system is not compatible with VGA or DisplayPort.

CAMERAS

The following cameras and accessories are a list of equipment available for broadcasting live to screen and recording, for operation by GWPAC Staff.

Cameras and Lenses:

Manufacturer	Model	Quantity
Blackmagic	URSA Broadcast Camera G2	2
Panasonic	PTZ Camera (AW-UE70KEJ)	3
Blackmagic	PocketCinema 4K Camera	2
Canon	Pro Zoom Lens KJ20x8 2B IRSD	2
Panasonic	Lens Leica DG 12-60mm f/2.8-4.0	2

Accessories:

Item	Model	Quantity
Tripod (Broadcast)	Manfrotto 612 Nitrotech with LANC	2
Mini Shoulder Kit	Blackmagic URSA	2
Mini Shoulder Kit	Blackmagic URSA	2

Stage Management and Backstage Facilities

COMMUNICATIONS

The Venue consists of wired stations and wireless comms units (beltpack and headset) as standard equipment that can be positioned where required in the Venue.

Cabled Units 5
Wireless Units (ClearCom Freespeak II 1.9Ghz) 3
Master Base Station (Stage Management Desk) 1

***NOTE**

- o Additional cabled or wireless units can be hired. Please contact Venue Management for more details.

STAGE MANAGEMENT DESK

The Stage Management Desk (SMD) is located on Prompt Side and is fitted with:

- Monitor screen with stage feed
- Lamp
- Master Comms Station
- House Lighting control
- Curtain System control
- Connection for iPod, USB, HDMI, SDI

SET ASSEMBLY AND STORAGE SPACE

There is space Prompt Side that can be used for set assembly and storage. This space can be divided from the stage by the moveable wall.

***NOTE**

- o Items of set cannot be left in this area outside the Hirer's booking period unless authorised by Venue Management prior to arriving on site.
- o All items of set/props/costumes must be removed from GWPAC after the event. Failure to do so may incur an additional charge for the removal of set and/or rubbish.

DRESSING ROOMS AND REHEARSAL ROOMS

The Venue has two principal dressing rooms, two rehearsal rooms and toilet facilities. Each room contains a monitor screen with stage feed (video and sound).

***NOTE**

- On weekdays, these rooms are only available after 6.00pm. Access is typically granted all day on weekends, school, and public holidays.
- Hirer's equipment (e.g. costumes, props, set etc.) cannot remain here overnight on weekdays.

ADDITIONAL REHEARSAL ROOMS

The Venue has other spaces within the school grounds for back of house assembly areas etc. These rooms are in nearby buildings to the Venue.

***NOTE**

- Each space incurs an additional fee as outlined in the Price List.
- On weekdays, these rooms are only available after 6.00pm. Access is granted all day on weekends, school, and public holidays.
- Hirer's equipment (e.g. costumes, props, set etc.) may not remain here overnight on weekdays.

GWPAC 2024 Price List

VENUE HIRE RATES

	Rehearsal / Setup	Performance
Weekday	\$440/hr	\$560/hr
Saturday/Sunday	\$520/hr	\$640/hr

Includes GST. Minimum booking block of 4 hours.

Standard Inclusions

- Venue Duty Manager
- Venue Supervising Technician
- 895 seat auditorium
- Hardwood stage (10m x12m), risers and drapery
- Kiosk (where appropriate)
- Basic Lighting Rig (white wash and static colour)
- Sound System (d&b audiotechnik array, cabled mics and comms)

ADDITIONAL STAFF

Staff	Weekday	Sat/Sun
<ul style="list-style-type: none"> • Technician • Duty Manager • Stage Manager • Followspot Operator • Camera Operator • Fly Operator/Mechanist 	\$70/hr	\$120/hr
Additional Security	\$58/hr	\$82/hr
Additional Cleaning	\$58/hr	\$82/hr

STAGING AND INSTRUMENTS

Description	Fee	Notes
Black MDF Stage Floor	\$580/setup	
Flown Drop Curtain	\$480/setup	
Yamaha C7 Grand Piano (inc tuning)	\$380	
Yamaha Clavinova CVP-805	\$110	
Timpani x4	\$110	
Drum Kit	\$55	
Wireless Comms Unit	\$50	
Music Stand Sconce Light	\$10	

RECORDING

Description	Fee	Notes
Audio Recording	\$120	Left/Right Mix - unedited
Video Production	POA	

LIGHTING AND EFFECTS

Description	Fee	Notes
Moving Lights Package (inc hazer)	\$325	
Hazer	\$40	Requires prior safety approval
Smoke Machine	\$40	Requires prior safety approval
Blinders x2	\$60	
Strobe Light	\$30	Requires prior safety approval
UV Lighting	\$30	
Followspot	\$85/ea	Does not include operator
9 Spots (calisthenics lighting)	\$300/setup	
Side Lighting (on base plates)	\$400/pair	

AUDIO

Description	Fee	Notes
Wireless Handheld Mic	\$40/day	
Wireless Headset Mic	\$40/day	
Wireless Lapel Mic	\$40/day	
Hanging & Floor Mic Package	\$295	x8 hanging mics, x4 shotgun mics
Instrument Mic	\$30/day	
Portable Speakers	\$30/day	
Additional Foldback	POA	

VISION

Description	Fee	Notes
Projection Package	\$395	Any/all permanently installed screens and projectors.

OTHER

Description	Fee	Notes
Additional Rehearsal Room	\$100/day	
Disposal of Additional Rubbish (packaging/boxes)	\$100	

**GEORGE
WOOD**

PERFORMING
ARTS CENTRE